



# Connect Further, Control Easier

## HDBaseT Solutions



# Contributor to the Next Generation of Connectivity

A longtime member of the HDBaseT™ Alliance, ATEN has over 30 qualified HDBaseT trainers and over 20 Pro A/V solutions certified by HDBaseT™, including video matrix switches and high definition video/KVM extenders and splitters.

In addition to new Contributor member privileges such as a dedicated company page in the HDBaseT Alliance's Installer Zone, ATEN will also be invited to share the benefits of nearly four decades of IT management and KVM control experience to define specifications for products that further accelerate the integration of AV and IT technologies, in turn helping both customers and solution partners to stay ahead of the curve.

## ATEN HDBaseT Profile

- Since 2013
- Contributor member
- +30 ATEN-HDBaseT trainers
- +20 ATEN-HDBaseT products
  - Modular Matrix Switches
  - Video Matrix Switches
  - Video Splitters
  - Video Extenders
  - KVM Extenders



# Less is More with HDBaseT

HDBaseT technology is ideal for professional AV installations and provides a simple and cost-effective solution to transmit 4K ultra high definition (UHD) signals up to 100 meters.



## Simplified Cabling

Implements HDBaseT™ extension technology to connect transmitter and receiver units over one single Cat 6/6a cable



## Ultra HD and High Quality Audio

Supports Full HD, 3D and 4K x 2K, Dolby True HD and DTS HD Master Audio



## Long Distance Transmission

Delivers uncompressed video & audio using one Cat 6/6a cable up to 100~150 m



## Anti-jamming Design

HDBaseT Anti-jamming technology resists signal interference during high-quality video transmissions



## Flexible Control

Provides multiple control signals: CEC, RS-232, Ethernet, IR and USB 2.0




## POH (Power over HDBaseT)

Supplies power from the Power Source Equipment (PSE) to the Power Device (PD) over long distances via one Cat 6/6a cable



USB



Control  
(RS232/IR/CEC)



Power



HDMI



Audio



Ethernet



HDBaseT

# HDBaseT Matrix with Video Wall Solutions

ATEN HDBaseT Matrix switches and HDBaseT receivers with scaler ensure long distance video transmission and provide seamless switching and scaling functionality, giving a flawless video wall experience.

## VM3200 / VM1600

32x32 / 16x16 Modular Matrix Switch

## VM7514 / VM8514

Compatible HDBaseT I/O Boards



## VM3909H / VM3404H

9x9 / 4x4 HDMI HDBaseT-Lite Matrix Switch



## VE805R

HDMI HDBaseT-Lite Receiver with Scaler



## VE816R

4K HDMI HDBaseT Receiver with Scaler





EN VIVO Y EN DIRECTO

08:13 7.8

08:13 7.8

MOJA DE AS DE CASTELLAR

2.3.5

C5N C5N

VIVO C5N LAS NOTICIAS DEL DÍA 07:33 1.9

DELINCUENTES INGRESARON EN SU CASA Y SE LLEVARON DINERO Y 2 AUTOS

NUEVO ROUND ENTRE PEÑA Y KICILLOF

ENTRADERA A MARÍA ARIETA STOLBIZER

LADRONES ARMADOS LE ROBARON DINERO Y DO AUTOS

0 BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

DELINCUENTES INGRESARON EN SU CASA Y SE LLEVARON DINERO Y 2 AUTOS

ENTRADERA EN LA CASA DE STOLBIZER

RX 1 FON 1

RX2 FON 2

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RX5 FON 5

RX6 FON 6

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

Opudín

Dejero

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

BOCA SI PUEDE TENER AÑOS DE FRECCIÓN EFECTIVA PARA EL FUTBOLISTA MALINO MATOS // EL

EL DATO DEL DÍA DESDE LA CÁMARA

RED DEPORTES

RED DEPORTES

# HDBaseT Media Distribution Solutions

An economical way to send high quality HDMI content over a Cat 5/6 cable to multiple displays over long distances from a single input source.

## VS1814T / VS1818T

4-Port / 8-Port HDMI HDBaseT Splitter

**4K**



## VE801R

HDMI HDBaseT-Lite Receiver  
(4K@40m)




## VE812R

HDMI HDBaseT Receiver  
(4K@100m)



## VE811R

HDMI HDBaseT Receiver  
(Support Long Reach Mode – up to 150m)





# HDBaseT Video Extender Series

## HDBaseT 2.0 (Up to 100M)

**VE1832** Coming Soon

True 4K HDMI/USB HDBaseT 2.0 Extender

Long Reach  
Mode

 **HDCP 2.2**




Extend True 4K video via single cat 6 cable up to 100 meters by Display Stream Compression (DSC) technology



Support Independent Stereo & SPDIF Toslink and Coaxial audio I/O

### Display Stream Compression (DSC)

- VESA standard for visually-lossless compression
- Video is compressed line by line, meaning very low latency
- Very light compression ratio of 2:1 or 3:1





# HDBaseT Class A (Up to 100M)

**VE811** Compact size

HDMI HDBaseT Extender

Long Reach  
Mode

HDCP 2.2

4K



**VE812**

HDMI HDBaseT Extender

HDCP 2.2

4K



**VE813A**

HDMI / USB HDBaseT Extender

HDCP 2.2

←EXTREME→  
USB®

4K



**VE814A**

HDMI HDBaseT Extender  
with Dual Output

Long Reach  
Mode

HDCP 2.2

4K



**VE816R**

4K HDMI HDBaseT Receiver  
with Scaler

HDCP 2.2

Video  
Wall

Seamless  
Switch

4K



**VE1812**

HDMI HDBaseT Extender  
with POH

Long Reach  
Mode

HDCP 2.2

POH

4K





**VE2812T**

HDMI & VGA HDBaseT Transmitter



**4K**

# HDBaseT Class B (Up to 70M)

## VE801

HDMI HDBaseT-Lite Extender



## VE802

HDMI HDBaseT-Lite Extender with POH



## VE805R

HDMI HDBaseT-Lite Receiver with Scaler



## VE901

DisplayPort HDBaseT-Lite Extender



## VE601

DVI HDBaseT-Lite Extender



## Comparison

| Function             | VE601                                       | VE801                               | VE802    | VE901                | VE805R                                | VE811               | VE812          | VE813A         | VE814A        | VE816R         | VE1812        | VE2812T           |
|----------------------|---|-------------------------------------|----------|----------------------|---------------------------------------|---------------------|----------------|----------------|---------------|----------------|---------------|-------------------|
| Video Interface      | DVI   | HDMI                                | HDMI     | DP                   | HDMI                                  | HDMI                | HDMI           | HDMI           | HDMI x2       | HDMI           | HDMI          | HDMI + VGA        |
| HDBaseT Class        | HDBaseT 1.0 Class B                         |                                     |          |                      |                                       | HDBaseT 1.0 Class A |                |                |               |                |               |                   |
| Distance             | 1080P@ 70m (max.)<br>1920 x1200@ 40m (max.) | 1080P@ 70m (max.)<br>4K@ 40m (max.) |          | 1080P@<br>70m (max.) | 1080P@ 100m (max.)<br>4K@ 100m (max.) |                     |                |                |               |                |               |                   |
| HDCP                 | HDCP 1.4                                    | HDCP 2.2                            |          | HDCP 1.4             |                                       | HDCP 2.2            |                |                |               |                |               |                   |
| Long Reach           | Not Supported                               |                                     |          |                      |                                       | Active enable       | Passive enable | Passive enable | Active enable | Passive enable | Active enable | Active enable     |
| Local Output         | N/A   | N/A                                 | N/A      | N/A                  | N/A                                   | N/A                 | N/A            | N/A            | •             | N/A            | N/A           | N/A               |
| Audio                | N/A   | • (HDMI)                            | • (HDMI) | • (DP)               | • (HDMI)                              | • (HDMI)            | • (HDMI)       | • (HDMI)       | • (HDMI)      | • (HDMI)       | • (HDMI)      | • (HDMI) (Stereo) |
| Full range IR/ RS232 | N/A   | N/A                                 | •        | N/A                  | •                                     | N/A                 | N/A            | N/A            | •             | •              | •             | •                 |
| Ethernet             | N/A   | N/A                                 | N/A      | N/A                  | N/A                                   | N/A                 | N/A            | N/A            | •             | N/A            | N/A           | N/A               |
| USB 2.0              | N/A   | N/A                                 | N/A      | N/A                  | N/A                                   | N/A                 | N/A            | •              | N/A           | N/A            | N/A           | N/A               |
| POH                  | N/A   | N/A                                 | •        | N/A                  | N/A                                   | N/A                 | N/A            | N/A            | N/A           | N/A            | •             | N/A               |
| Scalar               | N/A   | N/A                                 | N/A      | N/A                  | •                                     | N/A                 | N/A            | N/A            | N/A           | •              | N/A           | N/A               |

# HDBaseT KVM Extender Series

**CE920** Coming Soon

USB DisplayPort HDBaseT 2.0  
KVM Extender

Long Reach  
Mode **4K**



**CE820** Coming Soon

USB HDMI HDBaseT 2.0  
KVM Extender

Long Reach  
Mode  **4K**



**CE624**

USB DVI Dual View HDBaseT 2.0  
KVM Extender

Long Reach  
Mode  Dual View



**CE620**

USB DVI HDBaseT 2.0 KVM Extender

Long Reach  
Mode



**CE610A**

DVI HDBaseT KVM Extender  
with ExtremeUSB®

 **EXTREME  
USB®**




## Comparison

| Model                         | CE820                  | CE920                  | CE624                           | CE620                  | CE610A         |
|-------------------------------|------------------------|------------------------|---------------------------------|------------------------|----------------|
| Interface                     | HDMI / HDBaseT         | DisplayPort / HDBaseT  | DVI / HDBaseT                   |                        |                |
| Unit to Unit                  | Cat 5e / 6 / 6a x 1    |                        |                                 |                        |                |
| Inputs to Outputs             | 1 to 1                 |                        |                                 |                        |                |
| Resolution / Distance @Cat 6a | 4K@ 100m / 1080p@ 100m |                        | 1920 x 1200@ 100m / 1080p@ 100m |                        |                |
| HDCP                          | HDCP 2.2               | HDCP 1.4               | HDCP 1.4                        | N/A                    | HDCP 1.4       |
| Long Reach Mode(1080p@500 ft) | Active enable          | Active enable          | Active enable                   | Active enable          | Passive enable |
| Dual View                     | N/A                    | N/A                    | •                               | N/A                    | N/A            |
| Audio                         | • (HDMI)               | • (DP)                 | • Mic in / Speaker out          | • Mic in / Speaker out | N/A            |
|                               | • Mic in / Speaker out | • Mic in / Speaker out |                                 |                        |                |
| RS-232 Channel                | •                      | •                      | •                               | •                      | N/A            |
| Ethernet                      | •                      | •                      | N/A                             | N/A                    | N/A            |
| USB Channel                   | •                      | •                      | •                               | •                      | • (40 Mbps)    |
| POH                           | N/A                    | N/A                    | N/A                             | N/A                    | N/A            |

# Accessories

## 2L-2910

305M HDBaseT SF/UTP Cat 6 Cable



- Designed to reduce cross talk
- Optimized for distributing multiple digital signals – HD video, audio, Ethernet, power and control
- Verified to meet performance requirements set by HDBaseT Alliance
- Supports sweep frequency up to 400 MHz
- Supports up to 4K data transmission

## 2L-7D05H / 2L-7D03H

5m / 3m High Speed HDMI Cable with Ethernet



## 2L-7D02H

1.8M High Speed HDMI Cable with Ethernet



### HDBaseT Installation Guide

For a problem-free HDBaseT installation experience, be sure to get the Implementation Guide.



# ATEN HDBaseT Solutions in Action

## Transportation – Train Station, Japan

One of the biggest transportation hubs in the city of Osaka, Japan wanted to distribute eye-catching advertisements and important scheduling information to as many passengers as possible. To achieve this effectively they required 4K content broadcasted to multiple displays mounted vertically on pillars throughout the station, with transmission cloned simultaneously to more than 30 screens that are up to 100 meters apart. The solution needed to be centrally managed.

## ATEN Solution


Utilizing HDBaseT technology to ensure long distance transmission, the ATEN solution reduced the number of signage players required in the installation by broadcasting one input source to multiple destinations simultaneously while also reducing heavy cabling.

VS1818T –

4K 8-port HDMI HDBaseT Splitter

VE812R –

4K HDMI HDBaseT Receiver





## Retail – 3C Chain Store, India

One of the leading consumer electronics retail chain stores in India wanted an in-store 4K and Full HD TV display installation to deliver promotional information and announcements to create an alluring shopping atmosphere for customers. This needed to be compatible with multiple displays of 4K and 1080p resolutions, various sizes, brands and specification and to support a diverse array of source devices for playback, with the capability to play video through specific software and Apps. The distance between displays and source averaged around 50 meters.

## ATEN Solution

Making the most of HDBaseT's ability to enable the seamless integration of professional AV equipment, ATEN provided an HDCP-compliant solution that was able to easily up/downscale 4K and 1080p content and provide dual 4K video output to receivers up to 100m away using a single cable.

VM6404H –


4K 4x4 HDMI Matrix Switch

VE814A –

HDMI HDBaseT Dual Display Extender

VS0108HA –

8-port 4K HDMI Splitter



## **Hospitality – Elevens Bar & Grill, UK**

Elevens Bar & Grill, a new sports bar launched by Wales and Real Madrid footballer Gareth Bale, desired a state-of-the-art solution to offers guests an unparalleled sports viewing experience in a stylish and modern setting, with 20 flat screens over two floors which broadcast the biggest live sporting events from around the world in stunning 4K. The solution needed to be unproblematic for staff to use, while maintaining the option to expand the number of video sources or displays at a later stage.

### **ATEN Solution**


Taking full advantage of its modular matrix switch's full interoperability with HDBaseT technology, ATEN provided the perfect solution to guarantee to smooth distribution of 4K content while also allowing the staff access to simple content control capabilities for non-technical users via iPad.

**VM3200** – 32 x 32 Modular Matrix Switch

**VK2100** – ATEN Control System - Control Box

**VE801T** – HDMI HDBaseT-Lite Transmitter

**VE812R** – HDMI HDBaseT Receiver





## Corporate Headquarters

### ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datung Rd., Sijhih District.,  
New Taipei City 221, Taiwan  
Phone: +886-2-8692-6789 Fax: +886-2-8692-6767  
E-mail: marketing@aten.com

## America Region:

### ATEN Technology Inc.

15365 Barranca Parkway, Irvine, CA 92618, U.S.A  
Phone: +1-949-428-1111 Fax: +1-949-428-1100  
http://www.aten-usa.com  
E-mail: sales@aten-usa.com

### ATEN New Jersey Inc.

220 Davidson Avenue, Suite 404, Somerset,  
NJ 08873, U.S.A  
Phone: +1-732-356-1703 Fax: +1-732-356-1639  
http://www.aten-usa.com  
E-mail: sales@aten-usa.com

## EMEA Region:

### ATEN Infotech N.V.

Mijnwerkerslaan 34, 3550 Heusden-Zolder, Belgium  
Phone: +32-11-531543 Fax: +32-11-531544  
http://www.aten.eu E-mail: sales@aten.be

### ATEN U.K. Limited

466 Malton Avenue, Slough SL1 4QU, U.K.  
Phone: +44-1753-539-121 Fax: +44-1753-215-253  
http://www.aten.co.uk E-mail: sales@aten.co.uk

### ATEN Poland Sp. z o. o.

ul. Daimlera 2, 02-460 Warszawa, Poland  
Phone: +48-669-062-112  
E-mail: poland@aten.com

### ATEN Russia

Office 14212, No.14 Sereblyakova proezd,  
Moscow, Russia.  
Phone : +7-495-134-2808  
http://ru.aten.com/ E-mail : russia@aten.com

### ATEN Info Iletisim Ltd.

Beştepe Mah. Yaşam Cad. 13-A / 76  
Yenimahalle Ankara, Turkey  
Phone : +90-312-284-00-27  
E-mail : turkey@aten.com

## Oceania Region:

### ATEN ANZ Pty Ltd.

Suite 3. 19, 32 Delhi Road, North Ryde,  
NSW 2113, Australia  
Phone: +61-2-9114-9933 Fax: +61-2-8072-3723  
http://www.aten.com E-mail: sales@au.aten.com

## Asia Pacific Region:

### ATEN China Co., Ltd.

18/F, Tower A, Horizon International Tower, No.6,  
Zhichun Road, Haidian District, Beijing, China 100088  
Phone: +86-10-5255-0110 Fax: +86-10-8296-1318  
http://www.aten.com.cn E-mail: sales@aten.com.cn

### ATEN Japan Co., Ltd. Tokyo Headquarters

ATEN Bldg. 8-4, Minami-senju 3-chome, Arakawa-ku,  
Tokyo 116-0003 Japan  
Phone: +81-3-5615-5810 Fax: +81-3-3891-3810  
http://www.atenjapan.jp E-mail: info@atenjapan.jp

### Osaka Branch

Awajimachi Dai-Building 3F  
3-1-9, Awajimachi, Chuo-ku, Osaka-shi, 541-0047, Japan  
Phone: +81-6-6229-5810 Fax: +81-6-6229-8810  
http://www.atenjapan.jp E-mail: info@atenjapan.jp

### ATEN Korea Co., Ltd.

B-303, Gabeul Great Valley, 60-5, Gasan-dong,  
Geumcheon-gu, Seoul, Korea; 153-801  
Phone: +82-2-467-6789 Fax: +82-2-467-9876  
http://www.aten.co.kr E-mail: sales@aten.co.kr

### Atech Peripherals, Inc.

6F., No.133, Sec. 2, Datung Rd., Sijhih District.,  
New Taipei City 221, Taiwan  
Phone: +886-2-8692-6969 Fax: +886-2-8692-6926  
http://www.aten.com.tw E-mail: taiwan@aten.com

### ATEN India Rep. Office

Unit 406, 4th Floor, Barton Center, M.G. Road,  
Bangalore - 560001, India  
Phone: +91-80-48517231  
E-mail: South-Asia@aten.com

